Ecophon Super G™ A

Ecophon Super G^{TM} A has an exposed grid system with impact bracing bars or clips to keep tiles in place. For applications in school corridors and other environments where there is a risk for mechanical impact.




SYSTEM RANGE




| Size, mm | 600x600 | 600x600 | 1200x600 | 1200x600 |
|-----------------|---------|---------|----------|----------|
| T24 | • | • | • | • |
| Thickness (THK) | 20 | 35 | 20 | 35 |
| Inst. Diagr. | M199 | M55 | M199 | M55 |

© Saint-Gobain Ecophon AB Ecophon Super G™ A, 2024-04-29



Super G A tile



Section of Super G A system with Connect T24



Super G A system



Super G A with Connect Impact bracing


Acoustic



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{\scriptscriptstyle D}$, Practical sound absorption coefficient



Frequency Hz

- --- Super G A 20 mm, 200 mm o.d.s.
- ···· Super G A 35 mm, 50 mm o.d.s.
- Super G A 35 mm, 200 mm o.d.s.

o.d.s = overall depth of system

| THK | o.d.s. mm | | α _{p′} Pr | actical soun | d absorption d | coefficient | | $\alpha_{_{\scriptscriptstyle{ m W}}}$ | Sound absorption class |
|-----|---------------|--------|--------------------|--------------|----------------|-------------|---------|--|------------------------|
| mm | O.u.s. IIIIII | 125 Hz | 250 Hz | 500 Hz | 1000 Hz | 2000 Hz | 4000 Hz | o. _w | Sound absorption class |
| 20 | 200 | 0.45 | 0.85 | 1.00 | 0.95 | 1.00 | 1.00 | 1.00 | А |
| 35 | 50 | 0.15 | 0.55 | 1.00 | 1.00 | 1.00 | 1.00 | 0.85 | В |
| 35 | 200 | 0.50 | 0.95 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | А |

| THK mm | o.d.s. mm | NRC | SAA |
|-----------|-----------|------|------|
| 35 | 50 | 0.90 | 0.92 |
| 35 | 200 | 1.00 | 0.97 |
| 35 | 400 | 0.90 | 0.92 |

Indoor Air Quality



| Certificate / Label | |
|------------------------------|----------|
| Eurofins Indoor Air Comfort® | IAC Gold |
| French VOC | A+ |
| Finnish M1 | • |







Environmental Footprint



| | kg CO2 equiv/m² |
|----------------|-----------------|
| Super G A 20mm | 3,28 |
| Super G A 35mm | 4,90 |

Life-cycle stages A1 to C4 from EPD, in conformity with ISO $14025 \ / \ EN \ 15804$



Circularity

| Minimum post-consumer recycled content (35 mm Super G A) | 51% |
|--|---------------------|
| Minimum post-consumer recycled content (20 mm Super G A) | 42% |
| Recyclability | Fully recyclable |



Fire safety

| Country | | Class | The glass wool core of the tiles is tested and classified as |
|---------|------------|----------|--|
| Europe | EN 13501-1 | A2-s1,d0 | non-combustible according to EN ISO 1182. |



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

White 085. Nearest NCS colour sample: S 1002-Y. Light reflectance: 78%.



Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



Accessibility

The tiles are not demountable.



Installation

Installed according to installation diagrams, installation guides and drawing aid. (The tiles have to be installed according to the arrows on the back of the tile.)



System weight

The weight of the system (including suspension grid) should be approximately $3-4\ kg/m^2$



Mechanical properties

See table regarding the min- and max- load bearing capacities and functional demands.



Impact Resistance


| Thickness | M-sketch | | Testec |
|-----------|----------|----|--------|
| 20 | M199 | 3A | _ |
| 3.5 | M55 | 2A | _ |

Tested and classified according to EN 13964 annex D.


CE




Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




| | | Size, mm | |
|---|--|-------------|-------------|
| | | 600×600 | 1200×600 |
| 1 | Super G A | 2,8/m² | 1,4/m² |
| 2 | Connect T24 Main runner, installed at 1200 mm centres (max distance from wall 300 mm) | 0,9m/m² | 0,9m/m² |
| 3 | Connect T24 Cross tee, L=1200 mm, installed at 600 mm centres | 1,7m/m² | 1,7m/m² |
| 4 | Connect T24 Cross tee, L=600 mm | 0,9m/m² | - |
| 5 | Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm) | 0,7/m² | 0,7/m² |
| 6 | Connect Hanger clip (secured with screw) | 0,7/m² | 0,7/m² |
| 7 | Connect Hygiene Clip 20 | 11/m² | 7/m² |
| 8 | Connect Channel trim | as required | as required |
| | Δ Min. overall depth of system: 150 mm | - | - |
| | δ Min. demounting depth: 150 mm (non-clipped panel) | | |








Arrangement of clips




Clip for keeping tiles in place

| Size, mm 600x600x20 | Max live load (N) 50 | |
|------------------------|----------------------------|-----|
| 1200x600x20 | 50 | 160 |
| | | |
| | | |
| | | |


Live load/load bearing capacity




| | | Size, mm | |
|---|--|-------------|-------------|
| | | 600×600 | 1200×600 |
| 1 | Super G A and Super G A XL | 2,8/m² | 1,4/m² |
| 2 | Connect T24 Main runner, installed at 600 mm centres | 1,7m/m² | 1,7m/m² |
| 3 | Connect T24 Cross tee, L=600 mm | 1,7m/m² | 0,9m/m² |
| 1 | Rigid hanger made of Connect Angle trim, max. L=1200 mm at 1200 mm centres | 1,4/m² | 1,4/m² |
| 5 | Connect Impact Bracing (Split pins included) | 5,6/m² | 4,2/m² |
| 5 | Connect Channel trim, fixed at 300 mm centres (h=44 mm) | as required | as required |
| | Δ Min. overall depth of system: 200 mm | - | - |
| | δ Min. demounting depth: 200 mm (for tile without Impact bracing) | - | - |







Detail of suspension



Connection between profiles with split pin

| Size, mm 600x600x35 | Max live load (N) 40 | |
|------------------------|----------------------------|-----|
| 1200x600x35 | 40 | 160 |

Live load/load bearing capacity

Ecophon Super GTM B

Ecophon Super G^TM B has bonded tiles edge to edge, directly to the soffit surface. The bevelled edge creates a narrow groove between each tile to offer a smooth appearance. For applications where the minimum possible overall depth of system is required and there's risk of high mechanical impact.



SYSTEM RANGE



| Size, mm | 600×600 |
|-----------------|------------|
| Direct | • |
| Thickness (THK) | 40 |
| Inst. Diagr. | M298, M487 |

© Saint-Gobain Ecophon AB Ecophon Super G™ B, 2024-04-29







Section of Super G B system



Super G B system



Section of Super G B system with


Acoustic



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{\scriptscriptstyle D}$, Practical sound absorption coefficient



Super G B 40 mm, 43 mm o.d.s.o.d.s = overall depth of system

Frequency Hz

| THK | $lpha_{ m p}$, Practical sound absorption coefficient | | | | | | | $\alpha_{\scriptscriptstyle{W}}$ | Sound absorption class | |
|-----|--|--------|--------|--------|---------|---------|---------|----------------------------------|------------------------|--|
| mm | 0.u.s. IIIIII | 125 Hz | 250 Hz | 500 Hz | 1000 Hz | 2000 Hz | 4000 Hz | Sound absorption class | | |
| 40 | 43 | 0.20 | 0.75 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | A | |

| THK mm | o.d.s. mm | NRC | SAA |
|-----------|-----------|------|------|
| 40 | 43 | 0.95 | 0.95 |

Indoor Air Quality











Environmental Footprint



Life-cycle stages A1 to C4 from EPD, in conformity with ISO $14025 \ / \ EN \ 15804$



Circularity

| Minimum post-consumer recycled content | 58% |
|--|------------------|
| Recyclability | Fully recyclable |



Fire safety

| Country | Fire standard | Class |
|---------|---------------|----------|
| Europe | EN 13501-1 | A2-s1,d0 |

The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

White 085. Nearest NCS colour sample: S 1002-Y. Light reflectance: 78%.



Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



Accessibility

The tiles are not demountable



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification. Rendered surfaces must have sufficient strength to be able to carry the load imposed by the tiles. If doubts, test gluing should be carried out. The surface should always be dry and clean. For best result the surface should be even. Install tiles according to arrows.



System weight

The weight of the system should be approximately $5~{\rm kg/m^2}$



Mechanical properties

See table regarding the min- and max- load bearing capacities and functional demands. Additional live load has to be fixed to the soffit.



Impact Resistance




Tested and classified according to EN 13964 annex D and fulfill the demands corresponding to DIN 18032 part 3. Adding installations to the system might affect the systems impact resistance.




CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




| | | Size, mm |
|---|---|-------------|
| | | 600×600 |
| 1 | Super G B | 2,8/m² |
| 2 | Connect Absorber glue (0,25 l/m² - 0,4 l/m² depending on installation conditions) | as required |
| 3 | When installing floating ceilings: Connect Wood trim, L=3000, fixed at 500 mm centres | as required |
| | Use Connect Notched spatula to apply the glue. | - |
| | Δ Min. overall depth of system: 43 mm | - |
| | δ Min. demounting depth: The system is not demountable | |
| | Visible edges should be painted | - |








Application of glue




Wood trim for floating installation




Live load/load bearing capacity




| | | Size, mm |
|---|---|----------|
| | | 600×600 |
| 1 | Super G B | 2,8/m² |
| 2 | Connect Absorber screw SuperGB | 11,1/m² |
| | Δ Min. overall depth of system: 43 mm | |
| | δ Min. demounting depth: The system is not demountable | |
| | Visible edges should be painted | |







Position of screws size 600x600



Panel with Connect Absorber screw SuperGB



Live load/load bearing capacity

Ecophon Super GTM Plus A


Ecophon Super G™ Plus A has a robust grid system consisting of recessed profiles mounted directly to the soffit or a suspended grid system. For ceilings in sports halls or similar environments with a risk of high mechanical impact.



SYSTEM RANGE




| Size, mm | 1200x600 |
|-----------------|------------|
| Special Fixing | • |
| Thickness (THK) | 40 |
| Inst. Diagr. | M115, M527 |







Super G Plus A tile



Section of Super G Plus A system direct



Section of Super G Plus system suspended installation


Acoustic



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

$lpha_{\scriptscriptstyle D}$, Practical sound absorption coefficient



Frequency Hz

- ···· Super G Plus A 40 mm, 40 mm o.d.s.
- Super G Plus A 40 mm, 200 mm o.d.s.
- o.d.s = overall depth of system

| THK | o.d.s. mm | $lpha_{ m p}$, Practical sound absorption coefficient | | | | | $\alpha_{\scriptscriptstyle{W}}$ | Sound absorption class | |
|-----|---------------|--|--------|--------|---------|---------|----------------------------------|------------------------|------------------------|
| mm | 0.u.s. IIIIII | 125 Hz | 250 Hz | 500 Hz | 1000 Hz | 2000 Hz | 4000 Hz | o. _w | Sound absorption class |
| 40 | 40 | 0.20 | 0.70 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | А |
| 40 | 200 | 0.45 | 0.80 | 0.95 | 1.00 | 1.00 | 1.00 | 1.00 | А |

| THK mm | o.d.s. mm | NRC | SAA |
|-----------|-----------|------|------|
| 40 | 40 | 0.95 | 0.95 |
| 40 | 200 | 0.90 | 0.89 |
| 40 | 400 | 0.85 | 0.87 |

30

Indoor Air Quality









Environmental Footprint

kg CO₂ equiv/m²

Super G Plus A 7,73

Life-cycle stages A1 to C4 from EPD, in conformity with ISO $14025 \ / \ EN \ 15804$



Circularity

| Minimum post-consumer recycled content | 57% |
|--|------------------|
| Recyclability | Fully recyclable |



Fire safety

| Country | | Class | The glass wool core of the tiles is tested and classified as | |
|---------|------------|----------|--|--|
| Europe | EN 13501-1 | A2-s1,d0 | non-combustible according to EN ISO 1182. | |



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

White 085. Nearest NCS colour sample: S 1002-Y. Light reflectance: 78%.



Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



Accessibility

The tiles are not demountable.



Installation

Installed according to installation diagrams, installation guides and drawing aid. (The tiles have to be installed according to the arrows on the back of the tile.)



System weight

The weight of the system (including suspension grid) should be 6 to 7.5 kg/m^2 (depending on installation method).



Mechanical properties

See table regarding the min- and max- load bearing capacities and functional demands.



Impact Resistance


| M-sketch | |
|----------|----|
| M115 | 1A |
| M527 | 1A |

Tested and classified according to EN 13964 annex D and fulfill the demands corresponding to DIN 18032 part 3. Adding installations to the system might affect the systems impact resistance.




CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.



| | | Size, mm 1200×600 |
|---|--|----------------------|
| | | |
| 1 | Super G Plus A | 1,4/m² |
| 2 | Connect Recessed profile Plus, L=3000 mm, installed at 600 mm centres, fixed at 600 mm centres | 1,7m/m² |
| 3 | Connect Recessed profile Plus, L=576 mm, installed at 1200 mm centres | 0,8m/m ² |
| 4 | Connect Angle trim, fixed at 300 mm centres | as required |
| | Δ Min. overall depth of system: 42 mm | - |
| | δ Min, demounting depth: The system is not demountable | - |




See Quantity specification




Installation with recessed profile




Live load/load bearing capacity




| | | Size, mm | |
|----|--|-----------------------------|--|
| | | 1200×600 | |
| 1 | Super G Plus A | 1,4/m² | |
| 2 | Connect T24 Main runner, installed at 600 mm centres | 0,9m/m² | |
| 3 | Connect T24 Cross Tee, L=1200 mm, installed at 600 mm centres | 1,7m/m² | |
| 4 | Connect T24 Cross Tee, L=600 mm | 0,9m/m² | |
| 5 | Connect Channel trim, fixed at 300 mm centres (h=44 mm) | as required | |
| 6 | Connect Recessed profile Plus, L=3000 mm, installed at 600 mm centres, fixed at 600 mm centres | 1,7m/m² | |
| 7 | Connect Recessed profile Plus, L=576 mm, installed at 1200 mm centres | 0,8m/m ² | |
| 8 | Connect Nonius hanger upper, installed at 1200 mm centres | 0,7/m² | |
| 9 | Connect Nonius hanger lower, installed at 1200 mm centres | 0,7/m² | |
| 10 | Connect Split pin (2/hanger) | 1,4/m² | |
| 11 | Connect Installation screw P, installed at 400 mm centres | 4,4/m² | |
| 12 | Connect Wall Bracket for Main runners | 1/second row of Main runner | |
| | Δ Min. overall depth of system: Δ 270 mm | | |



Installation with recessed profile



Installation with recessed profile and C-profile



Connect C-profile plus with Connect Wall bracket plus



Live load/load bearing capacity