

TAKING CARE
OF DEMANDING
ACOUSTICS

ECOPHON MASTER™



Ecophon®
SAINT-GOBAIN

A SOUND EFFECT ON PEOPLE

Contents

04 ABOUT ECOPHON

06 GOOD ACOUSTICS MATTER EVERYWHERE

08 SUSTAINABILITY AS A GUIDING LIGHT

10 TAKING CARE OF DEMANDING ACOUSTICS WITH ECOPHON MASTER™

12 ECOPHON MASTER PRODUCT RANGE


- 14 Master A
- 14 Master B
- 15 Master Ds
- 15 Master E
- 16 Master Eg
- 16 Master F
- 17 Master SQ
- 17 Master Rigid A
- 18 Master Rigid E
- 19 Master Rigid Dp

20 COLOURS AND SURFACES

22 ECOPHON MASTER OVERVIEW

This publication shows products from Ecophon product range and those of other suppliers. The specifications are intended to provide a general guide to which products are most suitable for the preferences indicated. Technical data is based on results obtained under typical testing conditions or long experience in normal conditions. The specified functions and properties for products and systems are only valid on condition that instructions, installation diagrams, installation guides, maintenance instructions and other stated conditions and recommendations have been taken into consideration and followed. Deviation from this, such as changing specific components or products, will mean that Ecophon cannot be held responsible for the function, consequences and properties of the products. All descriptions, illustrations and dimensions contained in this brochure represent general information and shall not form part of any contract. Ecophon reserves the right to change products without prior notice. We disclaim any liability for misprints. For the latest information go to www.ecophon.in or contact your nearest Ecophon representative.





Sound of nature

IN EVERYDAY LIFE

Saint-Gobain Ecophon contributes to good indoor environments for working, healing and learning. We do this by developing, manufacturing and delivering acoustic products and systems designed around the natural evolution of human hearing – replicating the outdoor sound experience indoors, because that’s just better for people.

Having a sound effect on people, in every way we can, is what we do proudly. That promise makes every one of us a passionate advocate for the importance of room acoustics to people’s wellbeing – whatever the space, activity or need.

Good acoustics

MATTER EVERYWHERE


The importance of acoustics is underappreciated. Sound impacts us in daily life, and the scientific support for improving our indoor sound environments is well-documented.

And what exactly is an ideal indoor sound environment for people? One based on how we experience sound outside. The human auditory sense is naturally adapted to an outdoor environment where there is not any sound reflections from ceilings and walls.

That's why most of what we do at Ecophon is about replicating the acoustic qualities found in nature for indoor environments. We want to optimise indoor spaces to our natural way of hearing, so that speech and sound is easy to hear and understand, when needed, improving performance and wellbeing.

Usually that starts with the ceiling. A wall-to-wall acoustic ceiling is the easiest way to get a large sound-absorbing surface area into a space, and is usually the best way to reduce sound strength, shorten reverberation times, and increase speech clarity and overall hearing comfort.

But for a truly optimal sound environment, you'll also likely need different kinds of sound absorbers placed strategically throughout the space—wall-mounted panels and free-standing dividers are just two examples. In other words, a holistic approach is the best way to reduce the overall sound level and sound propagation in a room. Ecophon is here to help.





Sustainability

AS A GUIDING LIGHT

At Ecophon, sustainability is at the core of who we are and how we work. It's a promise to do better every day, in every way, for our co-workers, customers and partners in all walks of life. It's an approach to innovation that always sides with nature, and that takes its cue from the needs and environments of the people who will ultimately benefit from it. And it's a commitment to take as little as possible to do more than expected, so that future generations get to experience this planet at its life-sustaining best.

We are proud that all our products are united by their sustainability-driven origins. That applies to the materials we choose, but also to everything from the clean energy we use in our production facilities to the transparency, traceability and accountability embedded in every stage of product and service development, from idea to innovation. This is what makes us reach an industry-low carbon footprint. Because credible sustainability demands a holistic effort that leaves no challenge unaddressed, no opportunity unexplored. And fulfills the promise that ultimately drives all of us at Ecophon – to have a sound effect on people.



Ecophon Master™

TAKING CARE OF DEMANDING ACOUSTICS


Ecophon Master™ is at the forefront of acoustic innovation and unrivalled in meeting acoustically challenging environments. The result provides excellent sound absorption and speech intelligibility.

- Absorption class A
- Offers 2 different product systems with 7 different edges
- Premium surface with matte look

Spaces where phones are used frequently, or where other high ambient noise levels are to be expected, can be hard to concentrate, be productive or learn in. Master suspended ceiling systems provide exceptional sound absorption and speech clarity – perfect for busy offices, classrooms, or anywhere speech intelligibility is the priority.



Minimum
59%
 post-consumer recycled content



ECOPHON MASTER™ PRODUCT RANGE

Master offer suspended wall-to-wall ceilings with excellent acoustic properties and direct fixing solutions with screws or glue adhesive for a quick and easy acoustic upgrade.

Patent-pending Master Eg is a unique system offering design possibilities with a floating appearance.

Master Rigid systems have a reinforced, durable and impact-resistant surface and is secured in the grid system. Combine with Ecophon Extra Bass for extra low-frequency absorption.

MASTER A

600x600x40
1200x600x40
1200x1200x40



MASTER B

600x600x40
1200x600x40



MASTER D_s

600x600x40



MASTER E

600x600x40
1200x600x40
1200x1200x40



MASTER Eg

600x600
1200x600
1200x1200
2400x600



MASTER F

600x600x40
1200x600x40



MASTER SQ

600x600x40
1200x600x40



MASTER RIGID A

600x600x20
1200x600x20
1600x600x20
1800x600x20
2000x600x20
2400x600x20



MASTER RIGID E

600x600x20
1200x600x20
1200x1200x20



MASTER RIGID D_p

600x600x20
1200x600x20



SQUARE 43


Edge Eg:
600x600x40



DOT

Edge Eg:
600x600x40









MASTER A
Visible grid system and easy demountable tiles. Available in many formats.



MASTER D_s
Bevelled edges that generates a discreet groove between the tiles. Concealed grid system.



MASTER B
For direct fixing with glue. Ideal for installations that require minimum depth of system.



MASTER E
Recessed visible grid system creating a shadow effect on the edge. Easily demountable tiles.





MASTER E9
 Unique edge design painted in two colours with concealed support edges and a floating appearance.




MASTER SQ
 For direct fixing with glue. Installed with a gap between each tile.



MASTER F
 For direct fixing with screws. Ideal for installations that require minimum depth of system.




MASTER RIGID A
 Visible grid system with reinforced surface secured by clips but fully demountable tiles. Available in many formats.






MASTER RIGID E
 Recessed visible grid system creating a shadow effect on the edge.
 Reinforced surface secured by clips but fully demountable tiles.



MASTER RIGID Dp
 A patented semi-concealed system. Reinforced surface secured by clips but fully demountable tiles.





GRID COLOURS

- 15 colour options for grids
- Create your own design
- Closest Akutex FT match creates subtle pattern and mixing FT colours gives more design effect

An acoustic ceiling is often the largest continuous surface in a room. It will affect not only the entire look and feel of the interior, but also the end-users' wellbeing.



COLOURS AND SURFACES

AKUTEX™ FT

The Akutex label guarantees that the product carrying it has a superior surface technology. Our research and development will always focus on visual aspects, acoustic properties, working environment, architectural trends and environmental aspects. This ensures that Akutex is always one step ahead.



WHITE FROST | Light reflectance 85%.
Nearest NCS colour sample S 0500-N.
Grid colour NCS S 1000-N.



OCEAN STORM | Light reflectance 24%.
Nearest NCS colour sample S 4020-R90B.
Grid colour NCS S 4010-R90B.



MORNING DRIZZLE | Light reflectance 69%.
Nearest NCS colour sample S 1002-B.



VOLCANIC ASH | Light reflectance 56%.
Nearest NCS colour sample 2002-Y.



MOONLIGHT SKY | Light reflectance 7%.
Nearest NCS colour sample S 7020-R90B.
Grid colour NCS S 7010-R90B.



CLOUDY DAY | Light reflectance 62%.
Nearest NCS colour sample S 1500-N.




SILVER STONE | Light reflectance 29%.
Nearest NCS colour sample S 4502-Y.



GOLDEN FIELD | Light reflectance 61%.
Nearest NCS colour sample S 1040-G90Y.



PEACH ROSE | Light reflectance 55%.
Nearest NCS colour sample S 1515-Y80R.
Grid colour NCS S 1510-Y80R.



SILK SLATE | Light reflectance 13%.
Nearest NCS colour sample S 7000-N.
Grid colour NCS S 6500-N.



SUNSET HEAT | Light reflectance 20%.
Nearest NCS colour sample S 2070-Y60R.



HIGHLAND FOG | Light reflectance 55%.
Nearest NCS colour sample S 2005-G.
Grid colour NCS S 2005-G20Y.



GOJI BERRY | Light reflectance 27%.
Nearest NCS colour sample S 3030-Y80R.
Grid colour NCS S 3030-Y80R.



RUBY ROCK | Light reflectance 7%.
Nearest NCS colour sample S 4050-R10B.



SAGE GARDEN | Light reflectance 40%.
Nearest NCS colour sample S 3010-B30G.
Grid colour NCS S 3010-B30G.



SILENT STEAM | Light reflectance 45%.
Nearest NCS colour sample S 2010-B.
Grid colour NCS S 2005-R90B.



EUCALYPTUS LEAF | Light reflectance 23%.
Nearest NCS colour sample S 5010-B30G.
Grid colour NCS S 5010-B30G.



FRESH CLOVER | Light reflectance 35%.
Nearest NCS colour sample S 3020-G40Y.
Grid colour NCS S 3020-G40Y.



SCALLOP SHELLS | Light reflectance 76%.
Nearest NCS colour sample S 0804-Y50R.
Grid colour NCS S 0603-Y60R.



SUMMER FOREST | Light reflectance 10%.
Nearest NCS colour sample S 6030-G10Y.
Grid colour NCS S 6030-G10Y.



WET SAND | Light reflectance 35%.
Nearest NCS colour sample S 3020-Y30R.
Grid colour NCS S 3020-Y40R.



DARK DIAMOND | Light reflectance 4%.
Nearest NCS colour sample S 9000-N.
Grid colour NCS S 8000-N.

NOTE
MASTER RIGID is only available in colour White Frost.

Colours may vary slightly between different production batches.
Reproduction of colours vary between print and reality.

ECOPHON MASTER OVERVIEW

Edge design	Product	Absorption class	Connect grid	Sizes (mm)	Ecophon Lighting	Possible combinations
	Ecophon Master A	A	T15 / T24	600x600x40 1200x600x40 1200x1200x40		
	Ecophon Master B	A	Direct fixing	600x600x40 1200x600x40		
	Ecophon Master Ds	A	T24	600x600x40		
	Ecophon Master E	A	T24	600x600x40 1200x600x40 1200x1200x40		
	Ecophon Master Eg	A	T24	600x600 1200x600 1200x1200 2400x600	Ecophon Dot Ecophon Square 43	
	Ecophon Master F	A	Direct fixing	600x600x40 1200x600x40		
	Ecophon Master SQ	A	Direct fixing	600x600x40 1200x600x40		
	Ecophon Master Rigid A	A	T24	600x600x20 1200x600x20 1600x600x20 1800x600x20 2000x600x20 2400x600x20		Extra Bass 1200x600
	Ecophon Master Rigid E	A	T24	600x600x20 1200x600x20 1200x1200x20		Extra Bass 1200x600
	Ecophon Master Rigid Dp	A	T24	600x600x20 1200x600x20		Extra Bass 1200x600



Ecophon Master panels contribute to a healthy indoor environment with superior acoustic absorption, low VOC emissions in line with the strictest requirements, and a full chemical transparency with verified Health Product Declarations. The low environmental footprint of our Master panels is third-party verified in Environmental Product Declarations.

The products do not contribute to fire and the glass wool core of the Master tiles is tested and classified as non-combustible according to EN ISO 1182. Fire classification according to EN 13501-1, see Technical Properties on respectively product.

NOTE
More product and system information such as installation help and sustainability documentation can be found at www.ecophon.in



Ecophon Master A Ecophon Master B Ecophon Master Ds Ecophon Master E Ecophon Master Eg Ecophon Master F



Ecophon Master SQ Ecophon Master Rigid A Ecophon Master Rigid E Ecophon Master Rigid Dp

Ecophon is the leading supplier of solutions for indoor acoustic environments that improve working performance, wellbeing and quality of life.

The principles guiding our work are grounded in our Swedish heritage, where a human approach and a common responsibility for people's lives and future challenges come naturally. Ecophon is part of the Saint-Gobain Group, a world leader in sustainable habitat solutions that balance the need for comfort and cost-effectiveness with energy efficiency and environmental responsibility.



– making the world
a better home.



Ecophon[®]
SAINT-GOBAIN

A SOUND EFFECT ON PEOPLE